





# Flow Chart to Aid Emergency Contraception (EC) Decision-Making Process Addendum

## Potential Outcomes for Ella<sup>®</sup>




## Potential Outcomes for Plan B One-Step<sup>®</sup>





# Flow Chart to Aid Emergency Contraception (EC) Decision-Making Process Addendum

## Potential Outcomes for Copper Intrauterine Devices (IUDs)



**If the patient would prefer to take their Oral Contraceptive Pills (OCP) as EC, the following doses are recommended:**

### Names of OCPs and Recommended Doses for EC Effect

4 Pills for First and Second Dose <sup>1</sup>		5 Pills for First and Second Dose	6 Pills for First and Second Dose
Altavera	Levora	Afirmelle	Amethyst
Amethia	Low-Ogestrel	Amethia Lo	
Ayuna	Marlissa	Aubra	
Camrese	Myzilra	Aviane	
Chateal	Nordette	CamreseLo	
Cryselle	Portia	Falmina	
Elinest	Quasense	Lessina	
Enpresse	Seasonale	LoSeasonique	
Introvale	Seasonique	Lutera	
Jolessa	Setlakin	Orsythia	
Kurvelo	Triphasil	Sronyx	
Levonest	Trivora	Vienna	

**Footnotes:**

1) Second dose of OCP should be taken 24 hours after the first dose